Printing date 04.01.2019

Revision: 04.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

- Trade name: VACOFLUX [®] 27
- Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Information sheet no.: IB126
- Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

- 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable For articles there is no obligation to classify acc. to CLP -Regulation.
- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Additional VAC information:
- In the case of dust-producing processing, we recommend observance of the following warnings : • Hazard statements
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.

May cause cancer by inhalation. Route of exposure: Inhalation.

May damage fertility. May cause long lasting harmful effects to aquatic life.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required.

In case of inadequate ventilation wear respiratory protection.

(Contd. on page 2)

[—] Е

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

(Contd. of page 1)

Get medical advice/attention if you feel unwell.

2.3 Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form
- Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

* = possible inpurities

CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9 RTECS: GF 8750000	cobalt Resp. Sens. 1, H334; Carc. 1B, H350i; Repr. 1B, H360F; () Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 4, H413	~ 27%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel	≤ 0.1*%
NON-hazardous Ingredients		

CAS: 7439-89-6 iron (compact form)

EINECS: 231-096-4 RTECS: NO 4565500

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

SECTION 4: First aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

rest%



Printing date 04.01.2019

V

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

• Information about fire - and explosion protection: No special measures required.

•7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.



Printing date 04.01.2019

(Contd. of page 2)

Е

Information sheet

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

			(Contd. of page 3
Suitable b	Il vacuum cleaners are used, these must hav reathing apparatus must be used during rep nging filters (see personal safety equipment)	air and i	class H (DIN EN 60335-2-69). maintenance work to suction systems, especially
	ol parameters	_	
Ingredien	ts with limit values that require monitorin ational Limit Values see Additional information	ig at the	• workplace:
7440-48-4			V.
	many) 0.5µg/m ³ bzw. 5µg/m ³ Einzelheiten s	s TRGS	910
7440-02-0			
	rmany) Long-term value: 0.006A; 0.030E* m	ng/m³	
,	8(II);AGS, 24, Sh, Y, 10*, 31*	0	
• DNELs			
In German continue to for examp available, (Source: In	o constitute workplace atmospheric limit valu	ues that AK value during ri etzlicher	n Unfallversicherung (IFA))
7440-48-4			
	Long-term exposure - inhalation - local effe	ects	0.04 mg/m ³ (Ind)
			0.0063 mg/m ³ (Consumer)
7440-02-0	nickel		
Inhalative	Long-term exposure - inhalation - local effe	ects	0.05 mg/m ³ (Ind)
	Long-term exposure - inhalation - systemic	effects	0.05 mg/m³ (Ind)
The AGW For therma assumed a • Additiona - The lists - GESTIS http://www	for nickel is to be used only for nickel metal al processes in the presence of atmospheric and the ERB (TRGS 910) must be applied. Il information: valid during the making were used as basis. International Limit Values:	l. c oxygen	ng and/or inhalable fraction) must be ensured. a, oxidic nickel compounds must always be nationale-Grenzwerte-für-chemische-Substanzen-
• Personal • General p Keep away	sure controls protective equipment: protective and hygienic measures: y from foodstuffs, beverages and feed. ds before breaks and at the end of work.		
Respirato	ry protection:		
	the case of dust formation (limit value exceed me limits for wearing must be observed.	eded), b	reathing apparatus must be worn.
Ві	reathing mask, apparatus with particle filter I	P2 or P3	, for example:
- E 1 3	Full face mask (EN 136) Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3) Recommendation: P3		



Printing date 04.01.2019

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

(Contd. of page 4)

• Protection of hands:

Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- · Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

· Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical a • General Information	and chemical properties
• Appearance:	
Form:	Semi-finished products/parts: e.g. strip, wire, parts and bars
Colour:	Metallic
• Odour:	Odourless
• pH-value:	Not applicable.
 Change in condition Melting point/Melting range (app 	r ox.): 1,470-1,500 °C
 Auto-ignition temperature: 	Not applicable
 Explosive properties: 	Not applicable
Vapour pressure:	Not determined.
 Density (approx.) at 20 °C: 	8 g/cm ³
Relative density	Not determined.
 Solubility in / Miscibility with 	
water:	Insoluble.
 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

•10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

E



Printing date 04.01.2019

for articles

Version number 2

Revision: 04.01.2019

(Contd. of page 5)

Trade name: VACOFLUX [®] 27

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values:

The following applies for the pure substances:

	0 11	
7440-48-4 cobalt		
Oral	LD50	550 mg/kg (rat)
Inhalative	LC50/4 h	
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information
7440-02-0	7440-02-0 nickel	
Oral	LD50	>9,000 mg/kg (rat)

• Primary irritant effect:

• Skin corrosion/irritation see sensitization

Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

• Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

• Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr \leq 0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity

May cause cancer by inhalation. Route of exposure: Inhalation.

- Reproductive toxicity
- May damage fertility.

• STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- •12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not known to be hazardous to water.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)



Printing date 04.01.2019

Version

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

Printing date 04.01.2019

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.
- Uncleaned packaging: Not applicable

SECTION 14: Transport information

• Transport/Additional information:

• Land transport ADR/RID (cross-border):

- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

• Air Transport ICAO-TI and IATA-DGR:

• Remarks: Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- 15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- Wording of the hazard warnings mentioned (Chapter 3) for pure substances:
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350i May cause cancer by inhalation. Route of exposure: Inhalation.
- H351 Suspected of causing cancer. Route of exposure: Inhalation.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 8)



(Contd. of page 6)

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX [®] 27

	(Contd. of page
• Department issuing SDS: Department OPS-C SE Tel. 06181/38-2045	
Contact: Environmental Protection Department	
Tel. 06181/38-2359	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par che Transport of Dangerous Goods by Rail)	min de fer (Regulations Concerning the Internationa
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Dangerous Goods by Road)	Agreement concerning the International Carriage of
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1B: Carcinogenicity – Category 1B	
Carc. 2: Carcinogenicity – Category 2	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Catego	ory 4



Printing date 04.01.2019