

for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

• Information sheet - no.: IB140

Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable
- · Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier:

VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

D-03430 Hallau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- 1.4 Emergency telephone number:

Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

2.2 Classification (substance or mixture)

Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):

Not applicable

For articles there is no obligation to classify acc. to CLP -Regulation.

• 2.2 Labelling according to Regulation (EC) No 1272/2008

Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable

Additional VAC information:

In the case of dust-producing processing, we recommend observance of the following warnings:

· Hazard statements

May cause an allergic skin reaction.

May cause cancer. Route of exposure: Inhalation.

Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 1)

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form
- Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

The concentration of cobalt might be ≥ 0,1% (impurities)

o o o . o . o . o . o . o . o				
CAS: 7439-96-5 EINECS: 231-105-1 RTECS: OO 9275000	manganese substance with a Community workplace exposure limit	71-75%		
CAS: 7440-50-8 EINECS: 231-159-6 Index number: 029-024-00-X RTECS: GL 5325000	copper substance with a Community workplace exposure limit	9-18%		
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel © Carc. 2, H351; STOT RE 1, H372; (1) Skin Sens. 1, H317	9-16%		
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9 RTECS: GF 8750000	cobalt ❖ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350; Repr. 1B, H360F; ❖ Skin Sens. 1, H317; Aquatic Chronic 4, H413	≤0.2%		

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation:

If metal vapours or dusts have been inhaled:

Get the affected person out in the fresh air and call a doctor.

· After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

E



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form.

The appropriate industrial and environmental safety measures

must be taken for processing steps which cause dust

(see also section 8):

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially (Contd. on page 4)



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 3)

when changing filters (see personal safety equipment).

• Ingredients with limit values that require monitoring at the workplace:

For International Limit Values see Additional information below

		Limit Values that require monitoring at the Limit Values see Additional information below				
7439-96-5	7439-96-5 manganese					
AGW (W)		Long-term value: 0.5 E mg/m³				
IOELV (EU)		Long-term value: 0.2* 0.05** mg/m³ as Mn; *inhalable, **respirable fraction				
AGW (Germany)		Long-term value: 0.02A; 0.2E mg/m³ 8(II);DFG,Y,10, 20				
7440-50-8	coppe	r				
DFG (Germany)		Long-term value: 0.1 E mg/m³ als Cu				
MAK (Germany)		Long-term value: 0.01 A mg/m³ als Cu				
7440-02-0	nickel	1				
AGW (Germany)		Long-term value: 0.006A; 0.030E* mg/m³ 8(II);AGS, 24, Sh, Y, 10*, 31*				
7440-48-4	cobalt					
ERB (Gerr	many)	0.5 μg/m³ (A) bzw. 5μg/m³ (A)				
MAK (Germany)		einatembare Fraktion; vgl.Abschn.XIII				
• DNELs						
7440-02-0	nickel					
Inhalative	Long-t	erm exposure - inhalation - local effects	0.05 mg/m³ (Ind)			
	Long-t	erm exposure - inhalation - systemic effects	0.05 mg/m³ (Ind)			
7440-48-4	cobalt					
Inhalative	Long-t	erm exposure - inhalation - local effects	0.04 mg/m³ (Ind)			
			0.0063 mg/m³ (Consumer)			
• Ingredien	ts with	biological limit values:				
7439-96-5	manga	anese				
BGW (Gei	rmany)	20 µg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: bei Langzeitexposi vorangegangenen Schichten, Expositionser				

Parameter: Mangan

• Additional Occupational Exposure Limit Values for possible hazards during processing:

Compliance with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. The AGW for nickel is to be used only for nickel metal.

For thermal processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be assumed and the ERB (TRGS 910) must be applied.

Additional information:

- The lists valid during the making were used as basis.
- GESTIS International Limit Values:

http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen-limit-values-for-chemical-agents/index.jsp

8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 5)



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 4)

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed.

Breathing mask, apparatus with particle filter P2 or P3, for example:

- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
- 10 times the limit value (FFP2)
- 30 times the limit value (FFP3)

Recommendation: P3

· Protection of hands:



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

· Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- · Penetration time of glove material -
- Eye protection:

General Information



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

· Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties

Appearance:		
Form:	Semi-finished products/parts: e.g. strip, wire and parts	
Colour:	Metallic	
• Odour:	Metallic	
• pH-value:	Not applicable.	
Change in condition Melting point/Melting range (ap	pprox.): ~1,000-1,100 °C	
Auto-ignition temperature:	Auto-ignition temperature: Not applicable	
• Explosive properties: Not applicable		

• Vapour pressure: Not determined.

Density (approx.) at 20 °C: ~7.3 g/cm³
 Relative density Not determined.

 Solubility in / Miscibility with water:

ater: Insoluble.

(Contd. on page 6)



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 5)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Hydrogen is released in contact with acid which can cause explosive gas mixtures.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

		·	
•LD/LC50 values:			
7440-02-0 nickel			
Oral	LD50	>9,000 mg/kg (rat)	
7440-48-4 cobalt			
Oral	LD50	550 mg/kg (rat)	
Inhalative			
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Additional toxicological information: --
- Additional Information:
- Repeated dose toxicity
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity

May cause cancer. Route of exposure: Inhalation.

- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)



for articles

Printing date 20.04.2021 Version number 1 Revision: 20.04.2021

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 6)

- •12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Observe offical regulations.
- · Uncleaned packaging: Not applicable

SECTION 14: Transport information

- Transport/Additional information:
- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

- •15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- National regulations:
- · Other regulations, limitations and prohibitive regulations
 - e.g
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910

(Contd. on page 8)



for articles

Revision: 20.04.2021 Printing date 20.04.2021 Version number 1

Trade name: VACODIL® 72 FM, VACODIL® 74 FM,

(Contd. of page 7)

15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations

Changes compared to the previous version are marked with *.

All previous information sheets lose their validity.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

Contact:

Environmental Protection Department

Tel. 06181/38-2796

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 2: Germ cell mutagenicity - Category 2

Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

Sources

- GESTIS
- Technische Regeln für Gefahrstoffe