
Page 1/8



for articles

Revision: 10.01.2020



Printing date 10.01.2020

Version number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PERMENORM [®], MEGAPERM [®]
- Detailed descriptions: PERMENORM 5000 V5; -3601 K5; -5000 H2 MEGAPERMM 40 L

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

• Information sheet - no.: IB26

• Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0

Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

• 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable For articles there is no obligation to classify acc. to CLP -Regulation. 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable • Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause an allergic skin reaction. May cause cancer by inhalation. Route of exposure: Inhalation. May damage fertility. Causes damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. (Contd. on page 2)

for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 1)

Get medical advice/attention if you feel unwell.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form

• Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

The concentration of cobalt might be $\geq 0,1\%$ (impurities)

* = possible inpurities

· · ·		
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-00	nickel Carc. 2, H351; STOT RE 1, H372; (1) Skin Sens. 1, H317 2-00-7	36-48%
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-00 RTECS: GF 8750000	cobalt Resp. Sens. 1, H334; Carc. 1B, H350i; Repr. 1B, H360F; Acute 1-00-9 Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 4, H413	≤0.3*%
NON-hazardous Ingre	edients	
CAS: 7439-89-6 EINECS: 231-096-4 RTECS: NO 4565500	iron (compact form)	rest%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.


• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.





for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.
- Extinguishing agents must be adapted to the environment.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures

must be taken for processing steps which cause dust

(see also section 8):

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

- Information about fire and explosion protection: No special measures required.
- •7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities:
- Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.
- If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).
- Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

(Contd. on page 4)

F



for articles

Version number 2

Revision: 10.01.2020

- E

			(Contd. of page 3
	ameters h limit values that require I Limit Values see Additiona		
7440-02-0 nick			
AGW (Germany	 k) Long-term value: 0.006A; 8(II);AGS, 24, Sh, Y, 10*, 		
7440-48-4 coba			
ERB (Germany)		· · /	
MAK (Germany	einatembare Fraktion; vgl	.Abschn.XIII	
continue to con for example no available, the en (Source: Institut	cupational exposure limits (A stitute workplace atmosphere	ic limit values that itration (MAK valu the DNEL during r chen Gesetzliche	n Unfallversicherung (IFA))
7440-02-0 nick		v.ue/iia/gesiis/ges	
	-term exposure - inhalation -	- local effects	0.05 mg/m³ (Ind)
	-term exposure - inhalation		
7440-48-4 coba	· · · · · · · · · · · · · · · · · · ·	-	
Inhalative Long	-term exposure - inhalation	 local effects 	0.04 mg/m³ (Ind)
			0.0063 mg/m ³ (Consumer)
The AGW for ni For thermal pro	ckel is to be used only for ni	e(s) (lung penetrat ckel metal. mospheric oxyger	ble hazards during processing: ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Intern http://www.dguv	ckel is to be used only for nicesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used tational Limit Values:	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis.	ing and/or inhalable fraction) must be ensured.
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Interr http://www.dguv limit-values-for- • 8.2 Exposure of • Personal prote General proteotic Keep away from Wash hands be Store protective	ckel is to be used only for nicesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used ational Limit Values: de/ifa/Gefahrstoffdatenbank chemical-agents/index.jsp	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis. ken/GESTIS-Inter se: feed. feed.	ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Interr http://www.dguv limit-values-for- • 8.2 Exposure of • Personal prote General proteotic Keep away from Wash hands be Store protective	ckel is to be used only for niccesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used ational Limit Values: de/ifa/Gefahrstoffdatenbank chemical-agents/index.jsp ontrols ctive equipment: tive and hygienic measure n foodstuffs, beverages and the fore breaks and at the end of clothing separately. k, smoke or sniff while worki	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis. ken/GESTIS-Inter se: feed. feed.	ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Interr http://www.dguv limit-values-for- • 8.2 Exposure of • Personal prote • General proteo Keep away from Wash hands be Store protective Do not eat, drin • Respiratory pro	ckel is to be used only for niccesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used ational Limit Values: de/ifa/Gefahrstoffdatenbank chemical-agents/index.jsp ontrols ctive equipment: tive and hygienic measure of foodstuffs, beverages and the fore breaks and at the end of clothing separately. k, smoke or sniff while working the total section:	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis. ken/GESTIS-Inter se: feed. of work. ng. value exceeded), b	ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Interr http://www.dguv limit-values-for- • 8.2 Exposure o • Personal prote • General proteo • General proteo • General proteo • General proteo • General proteo • Store protective Do not eat, drin • Respiratory pro © In the o Time lin • Full fa • Breathi 10 tim 30 tim	ckel is to be used only for niccesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used ational Limit Values: de/ifa/Gefahrstoffdatenbank chemical-agents/index.jsp controls ctive equipment: tive and hygienic measure in foodstuffs, beverages and it fore breaks and at the end of clothing separately. k, smoke or sniff while worki otection: ase of dust formation (limit w nits for wearing must be obs ing mask, apparatus with par ce mask (EN 136) ning mask (EN 149) FFP2 or es the limit value (FFP3)	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis. ken/GESTIS-Inter feed. of work. ng. value exceeded), k erved. ticle filter P2 or P3	ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be nationale-Grenzwerte-für-chemische-Substanzen-
The AGW for ni For thermal pro assumed and th • Additional info - The lists valid - GESTIS Interr http://www.dguv limit-values-for- • 8.2 Exposure of • Personal prote • General proteo Keep away from Wash hands be Store protective Do not eat, drin • Respiratory pro On the for Time lin Breathi - Full fa - Breatti 10 tim 30 tim	ckel is to be used only for niccesses in the presence of at the ERB (TRGS 910) must be rmation: during the making were used ational Limit Values: de/ifa/Gefahrstoffdatenbank chemical-agents/index.jsp controls ctive equipment: tive and hygienic measure in foodstuffs, beverages and it fore breaks and at the end of clothing separately. k, smoke or sniff while worki otection: ase of dust formation (limit w nits for wearing must be obs ing mask, apparatus with par ce mask (EN 136) ning mask (EN 149) FFP2 or es the limit value (FFP2)	e(s) (lung penetrat ckel metal. mospheric oxyger applied. d as basis. ken/GESTIS-Inter feed. of work. ng. value exceeded), k erved. ticle filter P2 or P3	ing and/or inhalable fraction) must be ensured. n, oxidic nickel compounds must always be nationale-Grenzwerte-für-chemische-Substanzen-



for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 4)

• Protection of hands:

Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties General Information 				
• Appearance:	• · · · · · · · · · · · · · ·			
Form:	Semi-finished products/parts: e.g. strip, wire, parts and bars			
Colour:	Metallic			
• Odour:	Odourless			
• pH-value:	Not applicable.			
• Change in condition Melting point/Melting range (approx.): 1,400-1,500 °C				
 Auto-ignition temperature: 	Not applicable			
 Explosive properties: 	Not applicable			
Vapour pressure:	Not determined.			
 Density (approx.) at 20 °C: 	8.3 g/cm ³			
Relative density	Not determined.			
Solubility in / Miscibility with				
water:	Insoluble.			
 9.2 Other information 	No further relevant information available.			

SECTION 10: Stability and reactivity

•10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Hydrogen is released in contact with acid which can cause explosive gas mixtures.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

E



for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50	values:			
7440-02-0 nickel				
Oral	LD50	>9,000 mg/kg (rat)		
7440-48-4 cobalt				
Oral	LD50	550 mg/kg (rat)		
Inhalative	LC50/4 h	mg/l (rat) siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information		

• Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information: --
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity May cause cancer by inhalation. Route of exposure: Inhalation.
- Reproductive toxicity
- May damage fertility.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- •12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.

(Contd. on page 7)



for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 6)

• Uncleaned packaging: Not applicable

SECTION 14: Transport information

- Transport/Additional information:
- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910
- 15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Wording of the hazard warnings mentioned (Chapter 3) for pure substances:
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350i May cause cancer by inhalation. Route of exposure: Inhalation.
- H351 Suspected of causing cancer. Route of exposure: Inhalation.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.
- Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

• Contact:

Environmental Protection Department Tel. 06181/38-2359

(Contd. on page 8)



for articles

Version number 2

Revision: 10.01.2020

Trade name: PERMENORM [®], MEGAPERM [®]

(Contd. of page 7) Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration 50 percent LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Acute Chronic 4: Hazardous to the acutic environment - long-term aquatic Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 Sources - KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe - Technische Regeln für Gefahrstoffe •* Data compared to the previous version altered.

