Page 1/9

Printing date 17.08.2023

Version number 4

Revision: 17.08.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### • 1.1 Product identifier

# • Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Information sheet no.: IB30
- Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- · Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37

D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (\*\*49) 6181/38-0 Emergency tel. no.: via (\*\*49) 6181/38-0

# **SECTION 2: Hazards identification**

# 2.1 Classification (substance or mixture)

Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable

For articles there is no obligation to classify acc. to CLP -Regulation.

- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Additional VAC information:
- In the case of dust-producing processing, we recommend observance of the following warnings : • Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May cause cancer. Route of exposure: Inhalation.

May damage fertility.

May cause long lasting harmful effects to aquatic life.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

[In case of inadequate ventilation] wear respiratory protection.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Store locked up.

(Contd. on page 2)



for articles

Version number 4

Revision: 17.08.2023

# Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

• 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### • 3.2 Mixtures

#### • Description: Metal in compact form

#### Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

CAS: 7440-48-4	cobalt	< 50%		
EINECS: 231-158-0 Index number: 027-001-00-9 RTECS: GF 8750000	♦ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350; Repr. 1B, H360F;  ♦ Skin Sens. 1, H317; Aquatic Chronic 4, H413			
CAS: 7440-62-2	vanadium	<2.5%		
EINECS: 231-171-1	substance with a Community workplace exposure limit			
RTECS: YW 1355000				
CAS: 7440-02-0	nickel	< 0.4*%		
EINECS: 231-111-4	🚸 Carc. 2, H351; STOT RE 1, H372; 🕔 Skin Sens. 1, H317			
Index number: 028-002-00-7				
NON-hazardous Ingredients				
CAS: 7439-89-6 liron (compact form)				

EINECS: 231-096-4 RTECS: NO 4565500

#### Additional information:

For the wording of the listed hazard phrases refer to section 16.

#### Additional information for Cobalt:

See also Chapter 11

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

#### After inhalation:

If metal vapours or dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact: Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Consult a doctor if the symptoms persist.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



for articles

Version number 4

Revision: 17.08.2023

Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

• Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



for articles

Version number 4

Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 3)

Revision: 17.08.2023

SLUTION 0.	Exposure controls/personal protection				
• 8.1 Control para					
<ul> <li>Ingredients wit</li> </ul>	<b>h limit values that require monitoring at the workplace:</b> I Limit Values see Additional information below.				
7440-48-4 coba					
ERB (Germany)					
MAK (Germany)					
7440-62-2 vana	dium				
MAK (Germany)	einatembare Fraktion; vgl. Abschn. XIII				
7440-02-0 nicke					
AGW (Germany	) Long-term value: 0.006A; 0.030E* mg/m³ 8(II);AGS, 24, Sh, Y, 10*, 31*				
• DNELs					
7440-48-4 coba	lt				
Inhalative Long	-term exposure - inhalation - local effects 0.04 mg/m³ (Ind)				
	0.0063 mg/m³ (Consumer)				
<ul> <li>Ingredients wit</li> </ul>	h biological limit values:				
The AGW for nic For thermal proc	n the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. ckel is to be used only for nickel metal. cesses in the presence of atmospheric oxygen, oxidic nickel compounds must always be e ERB (TRGS 910) must be applied.				
limit-values-for-o	.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen- chemical-agents/index.jsp				
• 8.2 Exposure c	ontrols				
Provide suction dust. Air return is lf industrial vacu Suitable breathin when changing is • Individual protect • General protect Keep away from Wash hands bet Store protective	gineering controls with filtering for good airing and ventilation of the work area during processing steps which cause s only permitted in exceptional cases. um cleaners are used, these must have dust class H (DIN EN 60335-2-69). ng apparatus must be used during repair and maintenance work to suction systems, especially filters (see personal safety equipment). ection measures, such as personal protective equipment tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. <, smoke or sniff while working.				
<ul> <li>Respiratory pro</li> </ul>	otection:				
	ase of dust formation (limit value exceeded), breathing apparatus must be worn. nits for wearing must be observed.				
- Full fa - Breath 10 time 30 time	ng mask, apparatus with particle filter P2 or P3, for example: ce mask (EN 136) ning mask (EN 149) FFP2 or FFP3 es the limit value (FFP2) es the limit value (FFP3) nmendation: P3				



for articles

Version number 4

Revision: 17.08.2023

Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 4)

Hand protection

Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- Penetration time of glove material
- -
- Eye/face protection



In the event of larger quantities of dust: Wear protective glasses / EN 166, poss. with side protection.

Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical pr	operties		
General Information     Physical state	fest		
r nysiour state	Semi-finished products/parts: e.g. strip, wire, parts and		
	bars		
• Colour:	Metallic		
• Odour:	Odourless 1,450-1,500 °C		
• Melting point/Melting range (approx.):			
• pH	Not applicable.		
• Solubility			
• water:	Insoluble.		
• Vapour pressure:	Not determined.		
• Density and/or relative density			
• Density (approx.) at 20 °C:	8.2 g/cm <sup>3</sup>		
Relative density	Not determined.		
Particle characteristics			
See section 3.			
9.2 Other information			
Appearance:			
• Form:	Semi-finished products/parts: e.g. strip, wire, parts and		
	bars		
· Important information on protection of health and			
environment, and on safety.			
<ul> <li>Ignition temperature:</li> </ul>	Not applicable		
<ul> <li>Explosive properties:</li> </ul>	Not applicable		
Information with regard to physical hazard classe	S		
Explosives	Void		
<ul> <li>Flammable gases</li> </ul>	Void		
• Aerosols	Void		
Oxidising gases	Void		
	(Contd. on page 6		



#### Page 6/9

Information sheet

VACUUMSCHMELZE

#### Printing date 17.08.2023

for articles Version number 4

Revision: 17.08.2023

# Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

		(Contd. of page 5)
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void	
<ul> <li>Substances and mixtures, which emit flamm</li> </ul>	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- •11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values:

#### The following applies for the pure substances:

7440-48-4 cobalt		
Oral	LD50	550 mg/kg (rat)
Inhalative		mg/l (rat) siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- Germ cell mutagenicity Suspected of causing genetic defects.
- Carcinogenicity May cause cancer. Route of exposure: Inhalation.
- Reproductive toxicity May damage fertility.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

for articles

Version number 4

Revision: 17.08.2023

### Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 6)

Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

# 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

# SECTION 12: Ecological information

#### 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.

# SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Observe offical regulations.
- · Uncleaned packaging: Not applicable

# **SECTION 14: Transport information**

Transport/Additional information:

· Land transport ADR/RID (cross-border):

• Remarks: Non-hazardous goods from the standpoint of the specified regulations

- Maritime transport IMDG:
- · Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- · Remarks: Non-hazardous goods from the standpoint of the specified regulations

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)



for articles

Printing date 17.08.2023

Version number 4

Revision: 17.08.2023

### Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

(Contd. of page 7)

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910
- 15.2 Chemical safety assessment: Void (for articles)

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for alterations Inclusion of a new alloy

- Relevant phrases
- Wording of the hazard warnings mentioned (Chapter 3) for pure substances:
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.
- Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

Contact:

Environmental Protection Department Tel. 06181/38-2796

- Date of previous version: 17.08.2023
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

E



for articles

Version number 4

Revision: 17.08.2023

(Contd. of page 8)

# Trade name: VACOFLUX <sup>®</sup> 48, -50, VACODUR<sup>®</sup> 49, -50, -S PLUS

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 2B Carc. 2: Carcinogenicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

### Sources

- GESTIS

Technische Regeln f
ür Gefahrstoffe
\* Data compared to the previous version altered.

