Printing date 04.01.2019

Revision: 04.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

- Trade name: VACOFLUX® 17
- Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Information sheet no.: IB31
- Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

- 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable For articles there is no obligation to classify acc. to CLP -Regulation.
- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Additional VAC information:
- In the case of dust-producing processing, we recommend observance of the following warnings : • Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause cancer by inhalation. Route of exposure: Inhalation.

May damage fertility. May cause long lasting harmful effects to aquatic life.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required.

In case of inadequate ventilation wear respiratory protection.

(Contd. on page 2)

[—] Е

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

(Contd. of page 1)

Get medical advice/attention if you feel unwell.

• 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form

• Components(composition):

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

* = possible inpurities

CAS: 7440-48-4	cobalt	~ 17%	
EINECS: 231-158-0	🚯 Resp. Sens. 1, H334; Carc. 1B, H350i; Repr. 1B, H360F; 🕖 Acute		
	Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 4, H413		
RTECS: GF 8750000			
CAS: 7440-47-3	chromium	<2.5%	
EINECS: 231-157-5	substance with a Community workplace exposure limit		
RTECS: GB 4200000			
CAS: 7440-02-0	nickel	<0.15*%	
EINECS: 231-111-4	🚯 Carc. 2, H351; STOT RE 1, H372; 🗘 Skin Sens. 1, H317		
Index number: 028-002-00-7	• • • • • • •		

 NON-hazardous Ingredients CAS: 7439-89-6 iron (compact form) EINECS: 231-096-4 RTECS: NO 4565500

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

SECTION 4: First aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or dusts have been inhaled:

Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3) Е

rest%



for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

•7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

• Information about fire - and explosion protection: No special measures required.

•7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.



Printing date 04.01.2019

(Contd. of page 2)

Information sheet

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

	(Contd. of pa vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69). eathing apparatus must be used during repair and maintenance work to suction systems, especial	
	jing filters (see personal safety equipment).	iiy
• 8.1 Control	parameters	
	s with limit values that require monitoring at the workplace:	
7440-48-4 c	ional Limit Values see Additional information below.	
	any) 0.5µg/m³ bzw. 5µg/m³ Einzelheiten s. TRGS 910	
7440-47-3 c		
IOELV (EU)	Long-term value: 2 mg/m ³ as Cr	
AGW (Germ	hany) Long-term value: 2 E mg/m ³ 1(I);10, EU	
7440-02-0 n		
AGW (Germ	nany) Long-term value: 0.006A; 0.030E* mg/m³ 8(II);AGS, 24, Sh, Y, 10*, 31*	
In Germany, continue to c for example available, the (Source: Ins	DSH purposes , occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) constitute workplace atmospheric limit values that are binding upon employers. Should no AGW no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) I he employer must also consider the DNEL during risk assessment. stitut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA)) es are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.	and
7440-48-4 c		
	Long-term exposure - inhalation - local effects 0.04 mg/m ³ (Ind)	
	0.0063 mg/m ³ (Consumer)	
7440-02-0 n		
	ong-term exposure - inhalation - local effects 0.05 mg/m ³ (Ind)	
	ong-term exposure - inhalation - systemic effects 0.05 mg/m ³ (Ind)	
Compliance If the occurre concentratio must be con The AGW fo For thermal		
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied.	en-
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d limit-values-t	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied. information: alid during the making were used as basis. iternational Limit Values: dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanze for-chemical-agents/index.jsp	en-
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d limit-values-t • 8.2 Exposur • Personal pr	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied. information: alid during the making were used as basis. iternational Limit Values: dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanze for-chemical-agents/index.jsp ire controls rotective equipment:	en-
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d limit-values-1 • 8.2 Exposu • Personal pro Keep away f	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied. information: alid during the making were used as basis. international Limit Values: dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanze for-chemical-agents/index.jsp ire controls rotective equipment: btective and hygienic measures: from foodstuffs, beverages and feed.	en-
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d limit-values-t • 8.2 Exposur • Personal pro Keep away f Wash hands	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied. information: alid during the making were used as basis. iternational Limit Values: dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanze for-chemical-agents/index.jsp ire controls rotective equipment: otective and hygienic measures: from foodstuffs, beverages and feed. s before breaks and at the end of work.	en-
Compliance If the occurre concentratio must be con The AGW fo For thermal assumed an • Additional i - The lists va - GESTIS In http://www.d limit-values- • 8.2 Exposur • Personal pro Keep away f Wash hands Store protec	with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. rence of chrome (VI) compounds cannot be ruled out, the TRGS 910 (acceptance and tolerance ons) insidered! or nickel is to be used only for nickel metal. processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be nd the ERB (TRGS 910) must be applied. information: alid during the making were used as basis. international Limit Values: dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanze for-chemical-agents/index.jsp ire controls rotective equipment: btective and hygienic measures: from foodstuffs, beverages and feed.	en-



for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

(Contd. of page 4)

• Respiratory protection:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed.

- Breathing mask, apparatus with particle filter P2 or P3, for example:
- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
- 10 times the limit value (FFP2)
- 30 times the limit value (FFP3)
- Recommendation: P3
- Protection of hands:



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

- Material of gloves
- Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.
- Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties

General Information	
• Appearance:	
Form:	Semi-finished products/parts: e.g. strip, wire, parts and bars
Colour:	Metallic
• Odour:	Odourless
• pH-value:	Not applicable.
Change in condition Melting point/Melting range (app	orox.): 1,500-1,550 °C
 Auto-ignition temperature: 	Not applicable
 Explosive properties: 	Not applicable
• Vapour pressure:	Not determined.
• Density (approx.) at 20 °C:	8 g/cm ³
Relative density	Not determined.
• Solubility in / Miscibility with	
	Insoluble.



for articles

Version number 2

Revision: 04.01.2019

(Contd. of page 5)

Trade name: VACOFLUX® 17

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- •10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values:

The following applies for the pure substances:

7440-48-4 cobalt		
Oral	LD50	550 mg/kg (rat)
Inhalative		
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information
7440-02-0 nickel		
Oral	LD50	>9,000 mg/kg (rat)

• Primary irritant effect:

Skin corrosion/irritation see sensitization

Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

· Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
- May cause cancer by inhalation. Route of exposure: Inhalation.
- Reproductive toxicity
- May damage fertility.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- •12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not known to be hazardous to water.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.
- Uncleaned packaging: Not applicable

SECTION 14: Transport information

• Transport/Additional information:

- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- 15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



Printing date 04.01.2019

(Contd. of page 6)

for articles

Version number 2

Revision: 04.01.2019

Trade name: VACOFLUX® 17

(Contd. of page 7) Relevant phrases Wording of the hazard warnings mentioned (Chapter 3) for pure substances: H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H350i May cause cancer by inhalation. Route of exposure: Inhalation. H351 Suspected of causing cancer. Route of exposure: Inhalation. H360F May damage fertility. H372 Causes damage to organs through prolonged or repeated exposure. H413 May cause long lasting harmful effects to aquatic life. • Department issuing SDS: Department OPS-C SE Tel. 06181/38-2045 • Contact: **Environmental Protection Department** Tel. 06181/38-2359 • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 18: Carcinogenicity – Category 18 Carc. 2: Carcinogenicity – Category 2 Repr. 18: Reproductive toxicity – Category 18 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4 Sources - KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe - Technische Regeln für Gefahrstoffe

